



POLY POWER MEETS MICROSOFT TEAMS

BENEFITS

- Powered by Lenovo – ThinkSmart compute appliance ensures enhanced security and reliability
- Keep your meetings rooms neat—tuck the compute appliance in a cabinet or behind the monitor and set the touch controller on a conference table
- Arrange the conference room to fit your needs with the generous 10m (32.8 ft) USB cable (25 m/40 m options available)
- Never miss a word or inflection with Poly exclusive HD Voice, Poly Acoustic Clarity, Poly NoiseBlockAI (Trio C60) and Acoustic Fence (Studio)
- Customize the room—with wide-angle group-framing, speaker tracking cameras, speaker-tracking zoom cameras or speakerphones

POLY ROOM SOLUTIONS FOR MICROSOFT TEAMS (G10-T, G40-T, G80-T)

Poly room solution for Microsoft Teams delivers a clutter-free Microsoft Teams Rooms experience combined with powerful Poly audio and video for any size room. No more massive cable mess on the conference table. Just one single cable on the touch controller that connects to the compute appliance in the cabinet or behind the monitor. Plug in your PC to the touch controller to share your screen—and connect a USB speakerphone, too. Just like that, meeting experiences are simple, predictable and consistent. You get dedicated Microsoft Teams Rooms with no-fuss installation. No one will ever miss a word or inflection with Poly exclusive NoiseBlockAI, HD Voice and Acoustic Clarity technologies. And add Poly Studio video bar for automatic group framing and speaker tracking in small meeting rooms, or EagleEye Director II video conferencing camera with intelligent people tracking even in large conference rooms. With Poly room solution for Microsoft Teams, everyday meetings are transformed into powerful experiences.

- For content sharing, connect a PC to the Poly GC8
- A USB speakerphone can also be connected to the Poly GC8
- Gain Poly signature audio and noise-blocking technology
- TV-production-like speaker tracking with EagleEye Director II video conferencing camera

G10-T
G40-T
G80-T



POLY G10-T



POLY G40-T



POLY G80-T

Ideal room size	Base kit—connects to existing USB audio and video peripheral	For small and medium-sized conference rooms	For medium to large-sized conference rooms
What's included	<ul style="list-style-type: none"> • Poly GC8 • Lenovo ThinkSmart Edition Tiny • WALL/VESA MOUNT • 10 m high-speed fiber optic USB cable 	<ul style="list-style-type: none"> • Poly GC8 • Lenovo ThinkSmart Edition Tiny • WALL/VESA MOUNT • 10 m high-speed fiber optic USB cable • Poly Studio 	<ul style="list-style-type: none"> • Poly GC8 • Lenovo ThinkSmart Edition Tiny • WALL/VESA MOUNT • 10 m high-speed fiber optic USB cable • EagleEye Director II • Poly Trio C60

SPECIFICATIONS

POLY GC8

DIMENSIONS

- 204.5 x 132.2 x 103.6 mm (8.05 x 5.2 x 4.08 in)s

WEIGHT

- 767 g/1.69 lb

PORTS AND INTERFACES

- USB 3.1 Type C x 1
- HDMI Mini (content ingest) x 1
- USB 3.1 Type A x 1
- 3.5 mm headset jack, 4-pole CTIA x 1
- PIR motion sensor
- Power Jack

TOUCH SCREEN

- 8-inch screen
- Aspect ratio: 16 x 10
- Resolution: 1280 x 800
- Viewing angle: 170 degrees (typical)
- Positioning angle: 60 degrees
- LCD type: TFT Transmissive
- Backlight type: LED

ELECTRICAL

- DC 12V @ 3A

LOCKING MECHANISM

- Kensington lock

LENOVO THINKSMART EDITION TINY

PROCESSOR

- Intel® Core i5-9600T CPU @ 2.30 GHz/3.9 GHz (base/max)

OPERATING SYSTEM

- Microsoft Windows 10 Enterprise IoT

INSTALLED MEMORY

- 8.00 GB/ (32 GB max)

HARD DRIVE

- 120 GB Solid State Drive

WI-FI/BLUETOOTH

- 802.11 ac + Bluetooth® 5.0, Intel vPro technology support

INTERFACE (FRONT)

- USB 3.1 Gen 2
- USB 3.1 Gen 1 Type-C

- Microphone jack
- Headphone/microphone combo jack

INTERFACE (BACK)

- USB 3.1 Gen 2 (x2)
- USB 3.1 Gen 1 (x2)
- Display port/HDMI
- HDMI
- Gigabit Ethernet (RJ45)

PHYSICAL DIMENSION

- 179 x 37 x 183 mm (7.0 x 1.5 x 7.2 in)

WEIGHT

- 1.32 kg (2.91 lb)

VESA / WALL MOUNT

PHYSICAL DIMENSION

- 330 x 370 x 56 mm (13 x 14.6 x 2.2 in)

VESA MOUNTING OPTION

- 75 x 75 mm or 100 x 100 mm

USB CABLE

- USB Type A to Type C
- USB 3.1 Gen 2
- 10 m (32.8 ft)
- Conduit-friendly 3/4 in (19 mm)
- Aramid reinforced
- EMI/RFI-resistant

POLY STUDIO

- Refer to Poly Studio product datasheet

EAGLEEYE DIRECTOR II

- Refer to EagleEye Director II product datasheet

POLY TRIO C60

- Refer to the Poly Trio C60 product datasheet

WARRANTY

- Poly products included in these models have one-year return to factory. Parts and labor.
- Additional extended system warranty is available

www.vectordigitals.net